



Midra
Trustable always



The Trustable Caster Supplier

Product Presentation

2024

NEW PRODUCT



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Industrial Caster New Design

- Product Category: Medium Duty / Heavy Duty
- Loading Capacity: up to 135kg (297lbs) / up to 800kg (1760lbs)
- Diameter: 3in, 4in, 5in / 4in, 5in, 6in, 8in
- Material: Polyurethane
- Horn Finish: Silver + Gray
- Double Ball Raceway Design
- Top Plate, Swivel,
- Total Brake

NEW PRODUCT

The trustable supplier of FDI FACTORIES

Industrial Caster Medium Duty Caster

- Loading Capacity: up to 250kg (550lbs) pre piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Printed (Silver + Gray)
- Double Ball Raceway Design
- Quiet movement, Shock Resistance, No tire mark.
- Total Brake



unit: mm

		 (mm)	 D	 kg	 H			 A, B, C
3"	PU	75	38	100kg	105	39	121.5	A: 92x64 B: 76x46 C:
4"		100		180kg	129	40	130	
5"		125		250kg	155	39	130	



NEW PRODUCT

The trustable supplier of FDI FACTORIES



Industrial Caster Heavy Duty Caster

- Loading Capacity: up to 250kg (550lbs) pre piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Printed (Silver + Gray)
- Double Ball Raceway Design
- Quiet movement, Shock Resistance, No tire mark.
- Total Brake

unit: mm

		 (mm)						
4	PU	10	55	150kg	15	62.	16	A: 113x100 B: 91x75 C: 77x67
"		0		250kg	0	5	1	
5		12		400kg	17	55	16	
"		5		500kg	5	55	1	



Furniture Casters

Furniture Casters cover a wide range of styles and series. From an inexpensive nylon body twin wheel caster to chrome metal ball casters, it's more than likely that one will suit your application. We also provide a wide range of mounting options, including: threaded stem, grip ring stem, grip neck (wood) stem, and top plates.


Suitable Floors



carpet



Concrete



Hardwood



Tile/Ceramic



Furniture Casters



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Twin-Wheel



Design Caster



Functional



Modern

Category: Design Caster

Dual-wheel

Functionality

Modern

Finishing : Offer a wide selection in many styles and colors

Diameter: Option from 20 to 125mm (0.786 to 5in) for different mobility required

Brake: Built-in brake to enhance stability and safety.

Mounting Type: We offering Stem, Plate with different size for various applications

Load Capacity: Up to 125kg (275 lbs.)



Twin-Wheel



2in(50mm) Covered Twin Wheel Caster with Top Plate/ Threaded Stem, Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Black	Nylon	50	51	70	/	30x30	40
Black	Nylon	50	51	75	10x15	/	40



2in(50mm) Color Twin Wheel Caster with Top Plate/ Threaded, Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Bronze/Pink	Zinc alloy	50	50	70	/	47x47	40
Bronze/Pink	Zinc alloy	50	50	80	8x15	/	40

Twin-Wheel



2-3/8in(60mm) Twin Wheel Caster with Threaded/Ring Stem

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Ring Stem size (mm)	Loading (kg)
Gray/Black	Nylon	60	40	90	/	11x22	50
Gray/Black	Nylon	60	40	40	10x15	/	50



1-1/2in(35mm) Wide Twin Wheel Caster with Top Plate/ Ring Stem

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Ring Stem size (mm)	Top Plate size (mm)	Loading (kg)
Blue/Black	Nylon	35	40	46	/	30x30	30
Blue/Black	Nylon	35	40	55	11x22	/	30

Twin-Wheel



2-1/2in(60mm) Soft Edge Twin Wheel Caster with Threaded/Top Plate, Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
White/Blue	Soft Plastic	60	46	82	/	47x47	25
White/Blue	Soft Plastic	60	46	78	8x15	/	25



3in(82mm) Zinc Alloy Twin Wheel Caster with Top Plate/ Threaded

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Sliver+Black	Zinc alloy	82	47	110	/	47x47	30
Sliver+Black	Zinc alloy	35	40	55	8x15	/	30

Twin-Wheel



The trustable supplier of FDI FACTORIES

2in(50mm) Full Cover Twin Wheel Caster with Threaded/Ring Stem



Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Ring Stem size (mm)	Loading (kg)
Gray/white/Black	PU	50	65	85	/	11x22	40
Gray/white/Black	PU	50	65	80	10x15	/	40

Design Caster



2in(50mm) or 3in(80mm) Single Side Caster with Top Plate/ Threaded Stem

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Gray/white/Black	Zinc alloy	50	13	72	8x15	38x38	30
Gray/white/Black	Zinc alloy	80	15	115	8x15	47.5x47.5	40



2in(50mm) Alloy Sofa Caster with Threaded / Ring stem

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Ring Stem size (mm)	Loading (kg)
White/Black	Zinc alloy	50	50	60	/	11x22	30
White/Black	Zinc alloy	50	50	65	8x15	/	30

Design Caster

2-1/2in(65mm) Carpet Caster with Top Plate



Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Sliver/Gold	Nylon	65	-	45	-	38x38	35
Sliver/Gold	Nylon	65	-	45	-	47.5x47.5	35

2in(50mm) Ball Wheel Caster with Top Plate/ Threaded stem



Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Sliver/Black/ Bronze	Nylon	50	50	60	/	38x38	30
Sliver/Black/ Bronze	Nylon	50	50	65	8x15	/	30

Functional Caster



The trustable supplier of FDI FACTORIES



Light Duty Black PU Top Plate Swivel Caster Total Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Black	PU	40	20	60	8x15/8x25	60x43	20
Black	PU	50	24	72	10x15/10x25	71x51	30
Black	PU	63	30	94	12x30	93x64	60

Functional Caster Medical



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Cladding medical TPR STEM SWIVEL CASTER WITH BRAKE

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Grey+white	TPR	75	24	116	12x25/12*30	94*62	40
Grey+white	TPR	100	32	139	12x25/12*30	94*62	80
Grey+white	TPR	125	32	166	12x25/12*30	94*62	100

Modern Caster



The trustable supplier of FDI FACTORIES



Light Duty Transparent PU Top Plate Swivel Caster Total Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Transparent	PU	35	20	51	8x15/10x20	60x43	40
Transparent	PU	50	24	65	8x15/10x20	71x51	50
Transparent	PU	75	30	98	10x20/12x30	93x64	80

Industrial Caster


We offer a wide selection of industrial casters, ranging in capacity from 10 lbs to over 2,200 lbs. Our series include a traditional, economy priced medium duty line and a heavier duty line as well.



Suitable Floors



Asphalt



Concrete



Steel



Brick



Industrial Caster



The trustable supplier of FDI FACTORIES



Light Duty



Medium Duty



Heavy Duty

Category: Light-Duty

Medium-Duty

Heavy -Duty

Diameter: Option from 38 to 200mm (1.5 to 8 in) for different mobility required

Brake: Total Brake and Side Brake optional.

Mounting: Stem, Swivel Plate, Rigid Plate and Bolt Hole with different size for various applications

Load Capacity: Up to 1000kg (2200 lbs.)



Light Duty





The trustable supplier of FDI FACTORIES



Light Duty Black TPU Caster

- Loading Capacity: up to 52kg (114lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Side Brake Optional

• Technical Parameter

 mm			 Kg	 mm		 mm	 mm	 mm	 mm	
38	TPU	Axle	20	17	36	36X28	36X15	52	55	8X15 10X15
50			32	21	50	45X35	45X25	65	70	10X15 12X25
65			42	27	62	55X42	55X28	82	85	10X15 12X25
75			52	27	68	55X42	55X28	93	96	10X15 12X25

Light Duty














The trustable supplier of FDI FACTORIES



Light Duty Red Super TPU Caster

- Loading Capacity: up to 55kg (121lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Side Brake Optional

• Technical Parameter

 mm			 Kg	 mm		 mm	 mm	 mm	 mm	
38	TPU	Axle	22	17	36	36X28	36X15	52	55	8X15 10X15
50			35	21	50	45X35	45X25	65	70	10X15 12X25
65			45	27	62	55X42	55X28	82	85	10X15 12X25
75			55	27	68	55X42	55X28	93	96	10X15 12X25

Light Duty














The trustable supplier of FDI FACTORIES



Light Duty Gray Noise Reduction TPU Caster

- Loading Capacity: up to 45kg (100lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Super Quiet movement, No tire mark.
- Side Brake Optional

Technical Parameter

 mm			 Kg	 mm		 mm	 mm	 mm	 mm	
38	TPU	Axle	18	17	36	36X28	36X15	52	55	8X15 10X15
50			25	21	50	45X35	45X25	65	70	10X15 12X25
65			35	27	62	55X42	55X28	82	85	10X15 12X25
75			45	27	68	55X42	55X28	93	96	10X15 12X25

Light Duty



The trustable supplier of FDI FACTORIES



Light Duty Black rubber Caster

- Loading Capacity: up to 39kg (86lbs) per piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Super Quiet movement
- Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Black	Rubber	38	17	55	8x15	60*45	20
Black	rubber	50	22	65	8x15	60*45	30
Black	rubber	65	27	82	8x15	50*38	39

Light Duty



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Light Duty PVC Caster

- Loading Capacity: up to 45kg (99lbs) per piece
- Diameter: 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable
- Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Green	PVC	50	17	69	10*15	50*50	35
Green	PVC	65	21	90	12*25/12*30	65*65	40
Green	PVC	75	21	100	12*25/12*30	76*76	45

Light Duty



The trustable supplier of FDI FACTORIES











佛山市顺德区奔宇脚轮制造有限公司



Light Duty White Nylon Caster

- Loading Capacity: up to 48kg (105lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable.
- Side Brake Optional

Technical Parameter

 mm			 Kg	 mm	 mm	 mm	 mm	 mm	 mm	
38	Nylon	Axle	18	17	36	36X28	36X15	52	55	8X15 10X15
50			28	21	50	45X35	45X25	65	70	10X15 12X25
65			38	27	62	55X42	55X28	82	85	10X15 12X25
75			48	27	68	55X42	55X28	93	96	10X15 12X25

Light Duty



The trustable supplier of FDI FACTORIES



Light Duty Iron Caster

- Loading Capacity: up to 52kg (115lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Temperature Resistance
- Side Brake Optional



• Technical Parameter

 mm			 Kg	 mm						
38	Cast-iron	Axle	20	17	36	36X28	36X15	52	55	8X15 10X15
50			31	21	50	45X35	45X25	65	70	10X15 12X25
65			40	27	62	55X42	55X28	82	85	10X15 12X25
75			52	27	68	55X42	55X28	93	96	10X15 12X25

Medium Duty



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Medium Duty Orange PU Caster

- Loading Capacity: up to 120kg (265lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Orange	PU	75	32	106	12*25	94*64	90
Orange	PU	100	32	132	12*25	94*64	110
Orange	PU	125	32	158	12*25	94*64	120

Medium Duty



Medium Duty Red PU Caster

- Loading Capacity: up to 115kg (254lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Red	PU	75	32	106	12*25	92*64	85
Double Ball Red	PU	100	32	130	12*25	92*64	100
Bearing Red	PU	125	32	155	12*25	92*64	115

Medium Duty



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Medium Duty Blue TPR Caster

- Loading Capacity: up to 115kg (253lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Electrophoresis
- Double Ball Raceway Design
- Anti-Static, No tire mark.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Blue	TPR	75	32	106	12*25	94*64	90
Blue	TPR	100	32	133	12*25	94*64	100
Blue	TPR	125	32	157	12*25	94*64	115

Medium Duty



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Medium Duty Black PVC Caster

- Loading Capacity: up to 135kg (231lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet Movement, No tire mark.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Black	PVC	75	32	106	12*25	94*64	100
Black	PVC	100	32	133	12*25	94*64	115
Black	PVC	125	32	157	12*25	94*64	135

Medium Duty



Midra
Trustable always

The trustable supplier of FDI FACTORIES



Medium Duty PU Caster

- Loading Capacity: up to 140kg (309lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Electrophoresis
- Double Ball Raceway Design
- Quiet Movement, No tire mark.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
Orange	PU	75	32	104	12*30	92*64	90
Orange	PU	100	32	128	12*30	92*64	120
Orange	PU	125	32	152	12*30	92*64	140

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Black TPU Caster

- Loading Capacity: up to 125kg (275lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

 mm				 mm			 mm	 mm	 mm	
65	TPU	Double Ball Bearing	80	30	65	106.8	72X46	90	92	12X30
75			93	30	76	106.8	72X46	105	107	12X30
88			105	30	83	106.8	72X46	120	122	12X30
100			115	30	90	106.8	72X46	130	132	12X30
125			125	30	101	106.8	72X46	155	157	12X30

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Red Super TPU Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

 mm			 Kg	 mm	 mm	 mm	 mm	 mm	 mm	 mm
65	TPU	Double Ball Bearing	85	30	65	106.8	72X46	90	92	12X30
75			98	30	76	106.8	72X46	105	107	12X30
88			110	30	83	106.8	72X46	120	122	12X30
100			120	30	90	106.8	72X46	130	132	12X30
125			135	30	101	106.8	72X46	155	157	12X30



Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Noise Reduction TPU Caster

- Loading Capacity: up to 85kg (187lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Super Quiet movement, No tire mark
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm	
65	TPU	Double Ball Bearing	60	30	65	106.8	72X46	90	92	12X30
75			70	30	76	106.8	72X46	105	107	12X30
88			75	30	83	106.8	72X46	120	122	12X30
100			80	30	90	106.8	72X46	130	132	12X30
125			85	30	101	106.8	72X46	155	157	12X30

Medium Duty



Medium Duty stainless steel 304 Nylon Caster

- Loading Capacity: up to 135kg (297lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Stainless steel 304
- Double Ball Raceway Design
- Durable, a little noise in running.
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Threaded size (mm)	Top Plate size (mm)	Loading (kg)
White	Nylon	75	32	100	12*30	94*64	120
White	Nylon	100	32	127	12*30	94*64	160
White	Nylon	125	32	152	12*30	94*64	180

Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Nylon Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm	
65	Nylon	Double Ball Bearing	85	30	65	106.8	72X46	90	92	12X30
75			98	30	76	106.8	72X46	105	107	12X30
88			110	30	83	106.8	72X46	120	122	12X30
100			120	30	90	106.8	72X46	130	132	12X30
125			135	30	101	106.8	72X46	155	157	12X30

Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Anti-Static Caster

- Loading Capacity: up to 105kg (231lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Anti-Static, Quiet Movement, With Tire Mark Total
- Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm	
65	Rubber	Double Ball Bearing	65	30	65	106.8	72X46	90	92	12X30
75			75	30	76	106.8	72X46	105	107	12X30
88			85	30	83	106.8	72X46	120	122	12X30
100			90	30	90	106.8	72X46	130	132	12X30
125			105	30	101	106.8	72X46	155	157	12X30

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Temperature Resistance Caster

- Loading Capacity: up to 105kg (231lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- High Temperature Resistance
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm	
65	NP	Double Ball Bearing	65	30	65	106.8	72X46	90	92	12X30
75			75	30	76	106.8	72X46	105	107	12X30
88			85	30	83	106.8	72X46	120	122	12X30
100			90	30	90	106.8	72X46	130	132	12X30
125			105	30	101	106.8	72X46	155	157	12X30

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Iron Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, High Temperature Resistance
- Total Brake/Side Brake Optional

 mm			 Kg	 mm	 mm	 mm	 mm	 mm	 mm	
65	Cast-iron	Double Ball Bearing	85	30	65	106.8	72X46	90	92	12X30
75			98	30	76	106.8	72X46	105	107	12X30
88			110	30	83	106.8	72X46	120	122	12X30
100			120	30	90	106.8	72X46	130	132	12X30
125			135	30	101	106.8	72X46	155	157	12X30

Heavy Duty






The trustable supplier of FDI FACTORIES



Heavy Duty Black TPU Caster

- Loading Capacity: up to 400kg (880lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	TPU	Double Ball Bearing	250	50	85	220	71X84	113X100	145
125			330		106				165
150			390		122				192
200			400		156				245

Heavy Duty













The trustable supplier of FDI FACTORIES



Heavy Duty Red Super TPU Caster

- Loading Capacity: up to 430kg (947lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	TPU	Double Ball Bearing	290	50	85	220	71X84	113X100	145
125			350		106				165
150			410		122				192
200			430		156				245

Heavy Duty











The trustable supplier of FDI FACTORIES



Heavy Duty Green Noise Reduction TPR Caster

- Loading Capacity: up to 300kg (660lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Super Quiet movement, No tire mark
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	TPR	Double Ball Bearing	170	50	85	220	71X84	113X100	145
125			185		106				165
150			260		122				192
200			300		156				245

Heavy Duty



The trustable supplier of FDI FACTORIES



Heavy Duty Green TPU Vein Caster

- Loading Capacity: up to 410kg (900lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	TPU	Double Ball Bearing	250	50	85	220	71X84	113X100	145
125			280		106				165
150			320		122				192
200			350		156				245

Heavy Duty



Heavy Duty Green PU Vein Caster

- Loading Capacity: up to 350kg (772lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Top Plate size (mm)	Loading (kg)
Grey	PU	100	50	140	98*113	200
Grey	PU	125	50	165	98*113	250
Grey	PU	150	50	192	98*113	300
Grey	PU	200	50	223	98*113	350

Heavy Duty











The trustable supplier of FDI FACTORIES



Heavy Duty Nylon Caster

- Loading Capacity: up to 410kg (900lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	Nylon	Double Ball Bearing	280	50	85	220	71X84	113X100	145
125			350		106				165
150			400		122				192
200			410		156				245

Heavy Duty



Heavy Duty Nylon Caster without Cover

- Loading Capacity: up to 350kg (772lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Top Plate size (mm)	Loading (kg)
White	Nylon	100	50	140	98*113	200
White	Nylon	125	50	165	98*113	250
White	Nylon	150	50	192	98*113	300
White	Nylon	200	50	223	98*113	350

Heavy Duty



The trustable supplier of FDI FACTORIES



Heavy Duty Red TPU Covered Caster

- Loading Capacity: up to 420kg (925lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

 mm			 Kg	 mm			 mm	 mm	 mm
100	TPU	Roller Bearing	280	50	85	220	71X84	113X100	145
125			330		106				165
150			400		122				192
200			420		156				245

Heavy Duty



Heavy Duty Al Core Orange PU Covered Caster

- Loading Capacity: up to 400kg (882lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Top Plate size (mm)	Loading (kg)
Orange	PU	100	50	140	98*113	250
Orange	PU	125	50	165	98*113	330
Orange	PU	150	50	192	98*113	390
Orange	PU	200	50	223	98*113	400

Heavy Duty




The trustable supplier of FDI FACTORIES



Heavy Duty Iron Caster

- Loading Capacity: up to 480kg (1050lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, High Temperature Resistance
- Total Brake/Side Brake Optional

 mm			 Kg	 mm	 mm	 mm	 mm	 mm	 mm
100	Cast-iron	Roller Bearing	350	50	85	220	71X84	113X100	145
125			400		106				165
150			450		122				192
200			480		156				245

Heavy Duty

Heavy Duty Black Industrial Rubber Caster

- Loading Capacity: up to 200kg (440lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Roller balling Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional



Color	Material	Wheel Dia (mm)	Wheel wide (mm)	Total height (mm)	Top Plate size (mm)	Loading (kg)
Black	Rubber	100	50	128	100*85	70
Black	Rubber	125	50	150	100*85	100
Black	Rubber	150	50	192	135*105	160
Black	Rubber	200	50	235	135*105	200










Heavy Duty Kingpinless

The trustable supplier of FDI FACTORIES

Heavy Duty Kingpinless Caster

- Loading Capacity: up to 1000kg (2200lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Black Printed
- Kingpinless Design
- Durable
- Total Brake/Side Brake Optional



 mm			 Kg	 mm		 mm	 mm	 mm
100	TPU	Double Ball Bearing	800	50	85	100X75	130X110	153
125			900		110			188
150			1000		125			210
200			1000		170			260

Heavy Duty















The trustable supplier of FDI FACTORIES



Heavy Duty Shock Resistance Caster

- Loading Capacity: up to 630kg (1380lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Black Printed
- Kingpinless Design
- Durable, Shock Resistance
- Total Brake/Side Brake Optional



 mm				 mm		 mm	 mm				 mm	
100	TPU	Double Ball Bearing	400	51	95.5	100x76	130x110	75		400	9	165.5
125			480		108.0					480	9	178
150			550		120.5					550	9	190
200			630		145.5					630	9	240

Other Product











The trustable supplier of FDI FACTORIES



Heavy Duty Scaffold Caster

- Loading Capacity: up to 400kg (880lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Total Brake



 mm		 Kg	 材料 Material	 mm			
100	145	250	TPU	50	100x35	13	220
125	165	330	TPU				
150	192	390	TPU				
200	245	400	TPU				