



Midra
Trustable always

Premium Caster



Product Presentation 2024

NEW PRODUCT

The trustable supplier of FDI FACTORIES

Industrial Caster New Design

- Product Category: Medium Duty / Heavy Duty
- Loading Capacity: up to 135kg (297lbs) / up to 800kg (1760lbs)
- Diameter: 3in, 4in, 5in / 4in, 5in, 6in, 8in
- Material: Polyurethane
- Horn Finish: Silver + Gray
- Double Ball Raceway Design
- Top Plate, Swivel,
- Total Brake



NEW PRODUCT

The trustable supplier of FDI FACTORIES

Industrial Caster Medium Duty Caster



- Loading Capacity: up to 250kg (550lbs) pre piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Printed (Silver + Gray)
- Double Ball Raceway Design
- Quiet movement, Shock Resistance, No tire mark.
- Total Brake

unit: mm

| |  |  (mm) |  D |  kg |  H |  |  |  A, B, C |
|----|--|--|---|--|---|--|--|---|
| 3" | PU | 75 | 38 | 100kg | 105 | 39 | 121.5 | A: 92x64 B: 76x46 C: |
| 4" | | 100 | | 180kg | 129 | 40 | 130 | |
| 5" | | 125 | | 250kg | 155 | 39 | 130 | |

NEW PRODUCT


The trustable supplier of FDI FACTORIES



Industrial Caster Heavy Duty Caster

- Loading Capacity: up to 250kg (550lbs) pre piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Printed (Silver + Gray)
- Double Ball Raceway Design
- Quiet movement, Shock Resistance, No tire mark.
- Total Brake

unit: mm

| |  |  (mm) |  D |  kg |  H |  |  |  |
|---|--|---|--|---|--|--|--|--|
| 4 | PU | 10 | 55 | 150kg | 15 | 62. | 16 | A: 113x100 B: 91x75 C: 77x67 |
| " | | 0 | | 250kg | 0 | 5 | 1 | |
| 5 | | 12 | | 400kg | 17 | 55 | 16 | |
| " | | 5 | | 500kg | 5 | 55 | 1 | |

Furniture Casters

Furniture Casters cover a wide range of styles and series. From an inexpensive nylon body twin wheel caster to chrome metal ball casters, it's more than likely that one will suit your application. We also provide a wide range of mounting options, including: threaded stem, grip ring stem, grip neck (wood) stem, and top plates.


Suitable Floors



carpet



Concrete



Hardwood



Tile/Ceramic



Furniture Casters

The trustable supplier of FDI FACTORIES



Twin-Wheel



Design Caster



Functional



Modern

Category: Design Caster

Dual-wheel

Functionality

Modern

Finishing : Offer a wide selection in many styles and colors

Diameter: Option from 20 to 125mm (0.786 to 5in) for different mobility required

Brake: Built-in brake to enhance stability and safety.

Mounting Type: We offering Stem, Plate with different size for various applications

Load Capacity: Up to 125kg (275 lbs.)

Twin-Wheel



The trustable supplier of FDI FACTORIES



2in(50mm) Covered Twin Wheel Caster with Top Plate/ Threaded Stem, Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Black | Nylon | 50 | 51 | 70 | / | 30x30 | 40 |
| Black | Nylon | 50 | 51 | 75 | 10x15 | / | 40 |



2in(50mm) Color Twin Wheel Caster with Top Plate/ Threaded, Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------------|------------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Bronze/Pink | Zinc alloy | 50 | 50 | 70 | / | 47x47 | 40 |
| Bronze/Pink | Zinc alloy | 50 | 50 | 80 | 8x15 | / | 40 |

Twin-Wheel



2-3/8in(60mm) Twin Wheel Caster with Threaded/Ring Stem

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Ring Stem size (mm) | Loading (kg) |
|------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Gray/Black | Nylon | 60 | 40 | 90 | / | 11x22 | 50 |
| Gray/Black | Nylon | 60 | 40 | 40 | 10x15 | / | 50 |



1-1/2in(35mm) Wide Twin Wheel Caster with Top Plate/ Ring Stem

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Ring Stem size (mm) | Top Plate size (mm) | Loading (kg) |
|------------|----------|----------------|-----------------|-------------------|---------------------|---------------------|--------------|
| Blue/Black | Nylon | 35 | 40 | 46 | / | 30x30 | 30 |
| Blue/Black | Nylon | 35 | 40 | 55 | 11x22 | / | 30 |

Twin-Wheel



2-1/2in(60mm) Soft Edge Twin Wheel Caster with Threaded/Top Plate, Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|------------|--------------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| White/Blue | Soft Plastic | 60 | 46 | 82 | / | 47x47 | 25 |
| White/Blue | Soft Plastic | 60 | 46 | 78 | 8x15 | / | 25 |



3in(82mm) Zinc Alloy Twin Wheel Caster with Top Plate/ Threaded

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|--------------|------------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Sliver+Black | Zinc alloy | 82 | 47 | 110 | / | 47x47 | 30 |
| Sliver+Black | Zinc alloy | 35 | 40 | 55 | 8x15 | / | 30 |

Twin-Wheel



The trustable supplier of FDI FACTORIES

2in(50mm) Full Cover Twin Wheel Caster with Threaded/Ring Stem



| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Ring Stem size (mm) | Loading (kg) |
|------------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Gray/white/Black | PU | 50 | 65 | 85 | / | 11x22 | 40 |
| Gray/white/Black | PU | 50 | 65 | 80 | 10x15 | / | 40 |

Design Caster



2in(50mm) or 3in(80mm) Single Side Caster with Top Plate/ Threaded Stem

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|------------------|------------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Gray/white/Black | Zinc alloy | 50 | 13 | 72 | 8x15 | 38x38 | 30 |
| Gray/white/Black | Zinc alloy | 80 | 15 | 115 | 8x15 | 47.5x47.5 | 40 |



2in(50mm) Alloy Sofa Caster with Threaded / Ring stem

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Ring Stem size (mm) | Loading (kg) |
|-------------|------------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| White/Black | Zinc alloy | 50 | 50 | 60 | / | 11x22 | 30 |
| White/Black | Zinc alloy | 50 | 50 | 65 | 8x15 | / | 30 |

Design Caster

2-1/2in(65mm) Carpet Caster with Top Plate



| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Sliver/Gold | Nylon | 65 | - | 45 | - | 38x38 | 35 |
| Sliver/Gold | Nylon | 65 | - | 45 | - | 47.5x47.5 | 35 |

2in(50mm) Ball Wheel Caster with Top Plate/ Threaded stem



| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|----------------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Sliver/Black/ Bronze | Nylon | 50 | 50 | 60 | / | 38x38 | 30 |
| Sliver/Black/ Bronze | Nylon | 50 | 50 | 65 | 8x15 | / | 30 |

Functional Caster



The trustable supplier of FDI FACTORIES



Light Duty Black PU Top Plate Swivel Caster Total Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Black | PU | 40 | 20 | 60 | 8x15/8x25 | 60x43 | 20 |
| Black | PU | 50 | 24 | 72 | 10x15/10x25 | 71x51 | 30 |
| Black | PU | 63 | 30 | 94 | 12x30 | 93x64 | 60 |

Functional Caster Medical



The trustable supplier of FDI FACTORIES



Cladding medical TPR STEM SWIVEL CASTER WITH BRAKE

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Grey+white | TPR | 75 | 24 | 116 | 12x25/12*30 | 94*62 | 40 |
| Grey+white | TPR | 100 | 32 | 139 | 12x25/12*30 | 94*62 | 80 |
| Grey+white | TPR | 125 | 32 | 166 | 12x25/12*30 | 94*62 | 100 |

Modern Caster



The trustable supplier of FDI FACTORIES



Light Duty Transparent PU Top Plate Swivel Caster Total Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Transparent | PU | 35 | 20 | 51 | 8x15/10x20 | 60x43 | 40 |
| Transparent | PU | 50 | 24 | 65 | 8x15/10x20 | 71x51 | 50 |
| Transparent | PU | 75 | 30 | 98 | 10x20/12x30 | 93x64 | 80 |

Industrial Caster

We offer a wide selection of industrial casters, ranging in capacity from 10 lbs to over 2,200 lbs. Our series include a traditional, economy priced medium duty line and a heavier duty line as well.

Suitable Floors



Asphalt



Concrete



Steel



Brick



Industrial Caster



The trustable supplier of FDI FACTORIES



Light Duty



Medium Duty



Heavy Duty

Category: Light-Duty

Medium-Duty

Heavy -Duty

Diameter: Option from 38 to 200mm (1.5 to 8 in) for different mobility required

Brake: Total Brake and Side Brake optional.

Mounting: Stem, Swivel Plate, Rigid Plate and Bolt Hole with different size for various applications

Load Capacity: Up to 1000kg (2200 lbs.)



Light Duty



The trustable supplier of FDI FACTORIES



Light Duty Black TPU Caster

- Loading Capacity: up to 52kg (114lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Side Brake Optional

• Technical Parameter

|  mm |  |  |  Kg |  mm |  |  mm |  mm |  mm |  mm |  |
|--|---|---|---|--|---|---|---|---|---|---|
| 38 | TPU | Axle | 20 | 17 | 36 | 36X28 | 36X15 | 52 | 55 | 8X15 10X15 |
| 50 | | | 32 | 21 | 50 | 45X35 | 45X25 | 65 | 70 | 10X15 12X25 |
| 65 | | | 42 | 27 | 62 | 55X42 | 55X28 | 82 | 85 | 10X15 12X25 |
| 75 | | | 52 | 27 | 68 | 55X42 | 55X28 | 93 | 96 | 10X15 12X25 |

Light Duty














The trustable supplier of FDI FACTORIES



Light Duty Red Super TPU Caster

- Loading Capacity: up to 55kg (121lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Side Brake Optional

• Technical Parameter

|  mm |  |  |  Kg |  mm |  |  mm |  mm |  mm |  mm |  |
|---|---|---|--|---|---|--|--|--|--|---|
| 38 | TPU | Axle | 22 | 17 | 36 | 36X28 | 36X15 | 52 | 55 | 8X15 10X15 |
| 50 | | | 35 | 21 | 50 | 45X35 | 45X25 | 65 | 70 | 10X15 12X25 |
| 65 | | | 45 | 27 | 62 | 55X42 | 55X28 | 82 | 85 | 10X15 12X25 |
| 75 | | | 55 | 27 | 68 | 55X42 | 55X28 | 93 | 96 | 10X15 12X25 |

Light Duty














The trustable supplier of FDI FACTORIES



Light Duty Gray Noise Reduction TPU Caster

- Loading Capacity: up to 45kg (100lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Super Quiet movement, No tire mark.
- Side Brake Optional

• Technical Parameter

|  mm |  |  |  Kg |  mm |  |  mm |  mm |  mm |  mm |  |
|---|---|---|--|---|---|--|--|--|--|---|
| 38 | TPU | Axle | 18 | 17 | 36 | 36X28 | 36X15 | 52 | 55 | 8X15 10X15 |
| 50 | | | 25 | 21 | 50 | 45X35 | 45X25 | 65 | 70 | 10X15 12X25 |
| 65 | | | 35 | 27 | 62 | 55X42 | 55X28 | 82 | 85 | 10X15 12X25 |
| 75 | | | 45 | 27 | 68 | 55X42 | 55X28 | 93 | 96 | 10X15 12X25 |

Light Duty



The trustable supplier of FDI FACTORIES



Light Duty Black rubber Caster

- Loading Capacity: up to 39kg (86lbs) per piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Chrome
- Double Ball Raceway Design
- Super Quiet movement
- Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Black | Rubber | 38 | 17 | 55 | 8x15 | 60*45 | 20 |
| Black | rubber | 50 | 22 | 65 | 8x15 | 60*45 | 30 |
| Black | rubber | 65 | 27 | 82 | 8x15 | 50*38 | 39 |

Light Duty



The trustable supplier of FDI FACTORIES



Light Duty PVC Caster

- Loading Capacity: up to 45kg (99lbs) per piece
- Diameter: 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable
- Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Green | PVC | 50 | 17 | 69 | 10*15 | 50*50 | 35 |
| Green | PVC | 65 | 21 | 90 | 12*25/12*30 | 65*65 | 40 |
| Green | PVC | 75 | 21 | 100 | 12*25/12*30 | 76*76 | 45 |

Light Duty



The trustable supplier of FDI FACTORIES











佛山市顺德区奔宇脚轮制造有限公司



Light Duty White Nylon Caster

- Loading Capacity: up to 48kg (105lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable.
- Side Brake Optional

Technical Parameter

|  mm |  |  |  Kg |  mm |  mm |  mm |  mm |  mm |  mm |  |
|---|---|---|--|---|--|--|--|--|--|---|
| 38 | Nylon | Axle | 18 | 17 | 36 | 36X28 | 36X15 | 52 | 55 | 8X15 10X15 |
| 50 | | | 28 | 21 | 50 | 45X35 | 45X25 | 65 | 70 | 10X15 12X25 |
| 65 | | | 38 | 27 | 62 | 55X42 | 55X28 | 82 | 85 | 10X15 12X25 |
| 75 | | | 48 | 27 | 68 | 55X42 | 55X28 | 93 | 96 | 10X15 12X25 |

Light Duty



The trustable supplier of FDI FACTORIES



Light Duty Iron Caster

- Loading Capacity: up to 52kg (115lbs) pre piece
- Diameter: 1-1/2in, 2in, 2-1/2in, 3in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Temperature Resistance
- Side Brake Optional

Technical Parameter

|  mm |  |  |  Kg |  mm |  |  mm |  mm |  mm |  mm |  |
|---|---|---|--|---|---|--|--|--|--|---|
| 38 | Cast-iron | Axle | 20 | 17 | 36 | 36X28 | 36X15 | 52 | 55 | 8X15 10X15 |
| 50 | | | 31 | 21 | 50 | 45X35 | 45X25 | 65 | 70 | 10X15 12X25 |
| 65 | | | 40 | 27 | 62 | 55X42 | 55X28 | 82 | 85 | 10X15 12X25 |
| 75 | | | 52 | 27 | 68 | 55X42 | 55X28 | 93 | 96 | 10X15 12X25 |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Orange PU Caster

- Loading Capacity: up to 120kg (265lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|--------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Orange | PU | 75 | 32 | 106 | 12*25 | 94*64 | 90 |
| Orange | PU | 100 | 32 | 132 | 12*25 | 94*64 | 110 |
| Orange | PU | 125 | 32 | 158 | 12*25 | 94*64 | 120 |



Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Red PU Caster

- Loading Capacity: up to 115kg (254lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Red | PU | 75 | 32 | 106 | 12*25 | 92*64 | 85 |
| Double Ball | PU | 100 | 32 | 130 | 12*25 | 92*64 | 100 |
| Red Bearing | PU | 125 | 32 | 155 | 12*25 | 92*64 | 115 |
| Red | | | | | | | |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Blue TPR Caster

- Loading Capacity: up to 115kg (253lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Electrophoresis
- Double Ball Raceway Design
- Anti-Static, No tire mark.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Blue | TPR | 75 | 32 | 106 | 12*25 | 94*64 | 90 |
| Blue | TPR | 100 | 32 | 133 | 12*25 | 94*64 | 100 |
| Blue | TPR | 125 | 32 | 157 | 12*25 | 94*64 | 115 |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Black PVC Caster

- Loading Capacity: up to 135kg (231lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet Movement, No tire mark.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Black | PVC | 75 | 32 | 106 | 12*25 | 94*64 | 100 |
| Black | PVC | 100 | 32 | 133 | 12*25 | 94*64 | 115 |
| Black | PVC | 125 | 32 | 157 | 12*25 | 94*64 | 135 |



Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty PU Caster

- Loading Capacity: up to 140kg (309lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Electrophoresis
- Double Ball Raceway Design
- Quiet Movement, No tire mark.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|--------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| Orange | PU | 75 | 32 | 104 | 12*30 | 92*64 | 90 |
| Orange | PU | 100 | 32 | 128 | 12*30 | 92*64 | 120 |
| Orange | PU | 125 | 32 | 152 | 12*30 | 92*64 | 140 |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Black TPU Caster

- Loading Capacity: up to 125kg (275lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

|  mm |  |  |  |  mm |  |  |  mm |  mm |  mm |  |
|---|--|--|---|---|--|--|---|---|---|--|
| 65 | TPU | Double Ball Bearing | 80 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 93 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 105 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 115 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 125 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Red Super TPU Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark.
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|---|--|--|--|---|--|--|---|---|---|--|
| 65 | TPU | Double Ball Bearing | 85 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 98 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 110 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 120 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 135 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |



Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Noise Reduction TPU Caster

- Loading Capacity: up to 85kg (187lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Super Quiet movement, No tire mark
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|---|--|--|--|---|--|--|---|---|---|--|
| 65 | TPU | Double Ball Bearing | 60 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 70 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 75 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 80 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 85 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |



Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty stainless steel 304 Nylon Caster

- Loading Capacity: up to 135kg (297lbs) per piece
- Diameter: 3in, 4in, 5in
- Horn Finish: Stainless steel 304
- Double Ball Raceway Design
- Durable, a little noise in running.
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Threaded size (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|--------------------|---------------------|--------------|
| White | Nylon | 75 | 32 | 100 | 12*30 | 94*64 | 120 |
| White | Nylon | 100 | 32 | 127 | 12*30 | 94*64 | 160 |
| White | Nylon | 125 | 32 | 152 | 12*30 | 94*64 | 180 |

Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Nylon Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|---|--|--|--|---|--|--|---|---|---|--|
| 65 | Nylon | Double Ball Bearing | 85 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 98 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 110 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 120 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 135 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |

Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Anti-Static Caster

- Loading Capacity: up to 105kg (231lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Anti-Static, Quiet Movement, With Tire Mark Total
- Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|--|--|--|---|--|--|--|--|--|--|--|
| 65 | Rubber | Double Ball Bearing | 65 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 75 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 85 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 90 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 105 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |

Medium Duty



The trustable supplier of FDI FACTORIES



Medium Duty Temperature Resistance Caster

- Loading Capacity: up to 105kg (231lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- High Temperature Resistance
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|--|--|--|---|--|--|--|--|--|--|--|
| 65 | NP | Double Ball Bearing | 65 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 75 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 85 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 90 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 105 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |



Medium Duty




The trustable supplier of FDI FACTORIES



Medium Duty Iron Caster

- Loading Capacity: up to 135kg (297lbs) pre piece
- Diameter: 2-1/2in, 3in, 3-1/2in, 4in, 5in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, High Temperature Resistance
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |  |
|---|--|--|--|---|--|--|---|---|---|--|
| 65 | Cast-iron | Double Ball Bearing | 85 | 30 | 65 | 106.8 | 72X46 | 90 | 92 | 12X30 |
| 75 | | | 98 | 30 | 76 | 106.8 | 72X46 | 105 | 107 | 12X30 |
| 88 | | | 110 | 30 | 83 | 106.8 | 72X46 | 120 | 122 | 12X30 |
| 100 | | | 120 | 30 | 90 | 106.8 | 72X46 | 130 | 132 | 12X30 |
| 125 | | | 135 | 30 | 101 | 106.8 | 72X46 | 155 | 157 | 12X30 |

Heavy Duty








The trustable supplier of FDI FACTORIES

Heavy Duty Black TPU Caster

- Loading Capacity: up to 400kg (880lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional



|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |
|---|---|---|--|---|---|---|--|--|--|
| 100 | TPU | Double Ball Bearing | 250 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 330 | | 106 | | | | 165 |
| 150 | | | 390 | | 122 | | | | 192 |
| 200 | | | 400 | | 156 | | | | 245 |

Heavy Duty













The trustable supplier of FDI FACTORIES

Heavy Duty Red Super TPU Caster



- Loading Capacity: up to 430kg (947lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  mm |  mm |  mm |  mm |  mm |
|--|---|---|---|--|---|---|---|---|---|
| 100 | TPU | Double Ball Bearing | 290 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 350 | | 106 | | | | 165 |
| 150 | | | 410 | | 122 | | | | 192 |
| 200 | | | 430 | | 156 | | | | 245 |

Heavy Duty













The trustable supplier of FDI FACTORIES



Heavy Duty Green Noise Reduction TPR Caster

- Loading Capacity: up to 300kg (660lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Super Quiet movement, No tire mark
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |
|---|---|---|--|---|---|---|--|--|--|
| 100 | TPR | Double Ball Bearing | 170 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 185 | | 106 | | | | 165 |
| 150 | | | 260 | | 122 | | | | 192 |
| 200 | | | 300 | | 156 | | | | 245 |

Heavy Duty








The trustable supplier of FDI FACTORIES



Heavy Duty Green TPU Vein Caster

- Loading Capacity: up to 410kg (900lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |
|---|---|---|--|--|---|---|--|--|--|
| 100 | TPU | Double Ball Bearing | 250 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 280 | | 106 | | | | 165 |
| 150 | | | 320 | | 122 | | | | 192 |
| 200 | | | 350 | | 156 | | | | 245 |

Heavy Duty



The trustable supplier of FDI FACTORIES



Heavy Duty Green PU Vein Caster

- Loading Capacity: up to 350kg (772lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|---------------------|--------------|
| Grey | PU | 100 | 50 | 140 | 98*113 | 200 |
| Grey | PU | 125 | 50 | 165 | 98*113 | 250 |
| Grey | PU | 150 | 50 | 192 | 98*113 | 300 |
| Grey | PU | 200 | 50 | 223 | 98*113 | 350 |

Heavy Duty








The trustable supplier of FDI FACTORIES



Heavy Duty Nylon Caster

- Loading Capacity: up to 410kg (900lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |
|---|---|---|--|---|---|---|--|--|--|
| 100 | Nylon | Double Ball Bearing | 280 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 350 | | 106 | | | | 165 |
| 150 | | | 400 | | 122 | | | | 192 |
| 200 | | | 410 | | 156 | | | | 245 |

Heavy Duty



The trustable supplier of FDI FACTORIES



Heavy Duty Nylon Caster without Cover

- Loading Capacity: up to 350kg (772lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, Water Resistance
- Total Brake/Side Brake Optional

| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|---------------------|--------------|
| White | Nylon | 100 | 50 | 140 | 98*113 | 200 |
| White | Nylon | 125 | 50 | 165 | 98*113 | 250 |
| White | Nylon | 150 | 50 | 192 | 98*113 | 300 |
| White | Nylon | 200 | 50 | 223 | 98*113 | 350 |



Heavy Duty













The trustable supplier of FDI FACTORIES



Heavy Duty Red TPU Covered Caster

- Loading Capacity: up to 420kg (925lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  |  |  mm |  mm |  mm |
|---|---|---|--|---|---|---|--|--|--|
| 100 | TPU | Roller Bearing | 280 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 330 | | 106 | | | | 165 |
| 150 | | | 400 | | 122 | | | | 192 |
| 200 | | | 420 | | 156 | | | | 245 |

Heavy Duty



The trustable supplier of FDI FACTORIES

Heavy Duty Al Core Orange PU Covered Caster

- Loading Capacity: up to 400kg (882lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional



| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Top Plate size (mm) | Loading (kg) |
|--------|----------|----------------|-----------------|-------------------|---------------------|--------------|
| Orange | PU | 100 | 50 | 140 | 98*113 | 250 |
| Orange | PU | 125 | 50 | 165 | 98*113 | 330 |
| Orange | PU | 150 | 50 | 192 | 98*113 | 390 |
| Orange | PU | 200 | 50 | 223 | 98*113 | 400 |

Heavy Duty




The trustable supplier of FDI FACTORIES



Heavy Duty Iron Caster

- Loading Capacity: up to 480kg (1050lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Double Ball Raceway Design
- Durable, High Temperature Resistance
- Total Brake/Side Brake Optional

|  mm |  |  |  Kg |  mm |  mm |  mm |  mm |  mm |  mm |
|--|---|---|---|--|---|---|---|---|---|
| 100 | Cast-iron | Roller Bearing | 350 | 50 | 85 | 220 | 71X84 | 113X100 | 145 |
| 125 | | | 400 | | 106 | | | | 165 |
| 150 | | | 450 | | 122 | | | | 192 |
| 200 | | | 480 | | 156 | | | | 245 |

Heavy Duty



The trustable supplier of FDI FACTORIES

Heavy Duty Black Industrial Rubber Caster

- Loading Capacity: up to 200kg (440lbs) per piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Roller balling Design
- Quiet movement, No tire mark
- Total Brake/Side Brake Optional



| Color | Material | Wheel Dia (mm) | Wheel wide (mm) | Total height (mm) | Top Plate size (mm) | Loading (kg) |
|-------|----------|----------------|-----------------|-------------------|---------------------|--------------|
| Black | Rubber | 100 | 50 | 128 | 100*85 | 70 |
| Black | Rubber | 125 | 50 | 150 | 100*85 | 100 |
| Black | Rubber | 150 | 50 | 192 | 135*105 | 160 |
| Black | Rubber | 200 | 50 | 235 | 135*105 | 200 |










Heavy Duty Kingpinless

The trustable supplier of FDI FACTORIES

Heavy Duty Kingpinless Caster

- Loading Capacity: up to 1000kg (2200lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Black Printed
- Kingpinless Design
- Durable
- Total Brake/Side Brake Optional



|  mm |  |  |  Kg |  mm |  |  mm |  mm |  mm |
|---|---|---|--|---|---|--|--|--|
| 100 | TPU | Double Ball Bearing | 800 | 50 | 85 | 100X75 | 130X110 | 153 |
| 125 | | | 900 | | 110 | | | 188 |
| 150 | | | 1000 | | 125 | | | 210 |
| 200 | | | 1000 | | 170 | | | 260 |

Heavy Duty















The trustable supplier of FDI FACTORIES



Heavy Duty Shock Resistance Caster

- Loading Capacity: up to 630kg (1380lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Black Printed
- Kingpinless Design
- Durable, Shock Resistance
- Total Brake/Side Brake Optional



|  mm |  |  |  |  |  |  |  |  |  |  |  | |
|---|---|---|---|--|---|---|---|---|---|---|---|-------|
| 100 | TPU | Double Ball Bearing | 400 | 51 | 95.5 | 100x76 | 130x110 | 75 | | 400 | 9 | 165.5 |
| 125 | | | 480 | | 108.0 | | | | | 480 | 9 | 178 |
| 150 | | | 550 | | 120.5 | | | | | 550 | 9 | 190 |
| 200 | | | 630 | | 145.5 | | | | | 630 | 9 | 240 |

Other Product











The trustable supplier of FDI FACTORIES

Heavy Duty Scaffold Caster



- Loading Capacity: up to 400kg (880lbs) pre piece
- Diameter: 4in, 5in, 6in, 8in
- Horn Finish: Zinc
- Total Brake



|  mm |  |  Kg |  材料 Material |  mm |  |  |  |
|---|--|--|---|--|--|--|--|
| 100 | 145 | 250 | TPU | 50 | 100x35 | 13 | 220 |
| 125 | 165 | 330 | TPU | | | | |
| 150 | 192 | 390 | TPU | | | | |
| 200 | 245 | 400 | TPU | | | | |